



Steel Pipe Dimensions & Weights

Toll-Free: 1-844-DTC-HOSE

DTC Assumes no liability for any damages or injuries incurred resulting from the use of this data chart. This information is provided for information purposes only.

Pipe is available in ASTM/ASME A/SA53 Weld, A/AS 106B Seamless, A/SA312 Welded and Seamless Stainless Steel, A/SA333 Low Temperature, A/SA355 Chrome Moly, Brass, Bronze, Seamless and Porthold Aluminum, Nickel, PVC and Copper, In-House Cutting to 4"OD, Threading to 2" NPS and grooving to 4"; Quick turnaround available on larger sizes.

NPS	Outside Diameter Inches	I.P.S.	Schedule	Wall Thickness Inches	Inside Diameter Inches	Wt/Ft Pounds	NPS	Outside Diameter Inches	I.P.S.	Schedule	Wall Thickness Inches	Inside Diameter Inches	Wt/Ft Pounds			
1/8	0.405	40	10S	0.049	0.307	0.186	4	4.500		5S	0.083	4.334	3.920			
			40S Std.	0.068	0.269	0.245				10S	0.120	4.260	5.610			
			80S Ex.Hvy	0.095	0.215	0.315				40	40S Std.	0.237	4.026	10.790		
1/4	0.540	40	10S	0.065	0.410	0.330				80S Ex.Hvy	0.337	3.826	14.980			
			40S Std.	0.088	0.364	0.425				120		0.438	3.624	19.000		
			80S Ex.Hvy	0.119	0.302	0.535				160		0.531	3.438	22.510		
3/8	0.675	40	10S	0.065	0.545	0.424	4 1/2	5.000		XX Hvy	0.674	3.152	27.540			
			40S Std.	0.091	0.493	0.568				40S Std.	0.247	4.506	12.530			
			80S Ex.Hvy	0.126	0.423	0.739				80S Ex.Hvy	0.355	4.290	17.610			
1/2	0.840	40	10S	0.065	0.710	0.538	5	5.563		XX Hvy	0.710	3.580	32.430			
			40S Std.	0.083	0.674	0.671				5S	0.109	5.345	6.350			
			80S Ex.Hvy	0.109	0.622	0.851				10S	0.134	5.295	7.770			
3/4	1.050	40	10S	0.065	0.920	0.684				40S Std.	0.258	5.047	14.620			
			40S Std.	0.113	0.824	1.131				80S Ex.Hvy	0.375	4.813	20.780			
			80S Ex.Hvy	0.154	0.742	1.474				120		0.500	4.563	27.040		
1	1.315	40	XX Hvy	0.219	0.614	1.944	6	6.625		160		0.625	4.313	32.960		
			5S	0.065	0.920	0.684				XX Hvy	0.750	4.063	38.550			
			10S	0.083	0.884	0.857				5S	0.109	6.407	7.590			
1 1/4	1.660	40	40S Std.	0.113	0.824	1.131				10S	0.134	6.357	9.290			
			80S Ex.Hvy	0.154	0.742	1.474				40	40S Std.	0.280	6.065	18.970		
			XX Hvy	0.308	0.434	2.441				80	80S Ex.Hvy	0.432	5.761	28.570		
1 1/2	1.900	40	10S	0.065	1.185	0.868	7	7.625	40	120		0.562	5.491	36.390		
			40S Std.	0.133	1.049	1.679				160	XX Hvy	0.719	4.189	45.350		
			80S Ex.Hvy	0.179	0.957	2.172				XX Hvy	0.864	4.897	53.160			
1 3/4	2.235	40	XX Hvy	0.250	0.815	2.844				80	80S Ex.Hvy	0.500	6.625	38.050		
			5S	0.065	1.530	1.107				120	XX Hvy	0.875	5.875	63.080		
			10S	0.109	1.442	1.806				160		0.875	5.875	63.080		
2	2.375	40	40S Std.	0.140	1.380	2.273	8	8.625		5S	0.109	8.407	9.910			
			80S Ex.Hvy	0.191	1.278	2.997				10S	0.148	8.329	13.400			
			XX Hvy	0.250	1.160	3.765				20		0.250	8.125	22.360		
2 1/2	2.875	40	XX Hvy	0.382	0.896	5.214				30	40S Std.	0.322	7.981	28.550		
			5S	0.065	1.770	1.274				60		0.406	7.813	35.640		
			10S	0.109	1.682	2.085				80	80S Ex.Hvy	0.500	7.625	43.390		
3	3.500	40	40S Std.	0.145	1.610	2.718				100		0.594	7.439	50.950		
			80S Ex.Hvy	0.200	1.500	3.631				120		0.719	7.189	60.710		
			XX Hvy	0.281	1.338	4.859				140	XX Hvy	0.875	6.875	72.420		
3 1/2	4.000	40	XX Hvy	0.400	1.100	6.408				160		0.906	6.813	74.690		
			5S	0.065	2.245	1.604				9	9.625	40	40S Std.	0.342	8.941	33.900
			10S	0.109	2.157	2.638				80	80S Ex.Hvy	0.500	8.625	48.720		
4	4.500	40	40S Std.	0.154	2.067	3.653				XX Hvy	0.875	7.875	81.770			
			80S Ex.Hvy	0.218	1.939	5.022				10	10.750		5S	0.134	10.482	15.190
			XX Hvy	0.344	1.689	7.462				20		0.250	10.250	28.040		
4 1/2	5.000	40	XX Hvy	0.436	1.503	9.029				30	40S Std.	0.307	10.136	34.240		
			5S	0.083	2.709	2.475				40	80S Ex.Hvy	0.365	10.020	40.480		
			10S	0.120	2.635	3.531				60		0.500	9.750	54.740		
5	5.563	40	40S Std.	0.203	2.469	5.793				80		0.594	9.564	64.430		
			80S Ex.Hvy	0.276	2.323	7.661				100		0.719	9.314	77.030		
			XX Hvy	0.375	2.125	10.010				120		0.844	9.064	89.290		
6	6.625	40	XX Hvy	0.552	1.771	13.690				140		1.000	8.750	104.130		
			5S	0.083	3.334	3.029				160		1.125	8.500	115.640		
			10S	0.120	3.260	4.332				11	11.750	40	40S Std.	0.375	11.000	45.550
7	7.625	40	40S Std.	0.216	3.068	7.576				80	80S Ex.Hvy	0.500	10.750	60.070		
			80S Ex.Hvy	0.300	2.900	10.250				XX Hvy	0.875	10.000	101.630			
			XX Hvy	0.438	2.624	14.320				5S	0.165	12.420	22.180			
8	8.625	40	XX Hvy	0.600	2.300	18.580				10S	0.180	12.390	24.200			
			5S	0.083	3.834	3.472				20		0.250	12.250	33.380		
			10S	0.120	3.760	4.973				30		0.330	12.090	43.770		
9	9.625	40	40S Std.	0.226	3.548	9.109				40	40S Std.	0.375	12.000	49.560		
			80S Ex.Hvy	0.318	3.364	12.500				80S Ex.Hvy	0.406	11.938	53.520			
			XX Hvy	0.636	2.728	22.850				11.750	0.500	11.750	65.420			
10	10.750	40	XX Hvy	0.600	2.300	18.580				20		0.250	21.500	58.070		
			5S	0.083	3.834	3.472				30		0.330	21.250	65.610		
			10S	0.120	3.760	4.973				40	Std	0.375	21.250	65.610		
11	11.750	40	40S Std.	0.226	3.548	9.109				40	40S Std.	0.375	12.000	49.560		
			80S Ex.Hvy	0.318	3.364	12.500				80S Ex.Hvy	0.406	11.938	53.520			
			XX Hvy	0.636	2.728	22.850				11.750	0.500	11.750	65.420			
12	12.750	60	XX Hvy	0.600	2.300	18.580				20		0.250	21.500	58.070		
			5S	0.083	3.834	3.472				30		0.330	21.250	65.610		
			10S	0.120	3.760	4.973				40	Std	0.375	21.250	65.610		

		00		0.844	11.064	107.32			20	Std.	0.375	21.250	60.670
		100		1	10.750	125.490			30	Ex.Hvy	0.500	21.000	114.810
		120		1.125	10.500	139.670			60		0.870	20.250	197.410
		140		1.312	10.126	160.270			80		1.125	19.750	250.810
		160							100		1.375	19.250	302.880
14	14.000	10		0.25	13.500	36.710			120		1.625	18.750	353.610
		20	Std.	0.312	13.346	45.61			140		1.875	18.250	403.000
		30		0.375	13.25	54.57			160		2.125	17.750	451.060
		40	Ex.Hvy	0.438	13.124	63.440	24	24.000	10		0.250	23.500	63.410
		60		0.500	13.000	72.090			20	Std.	0.375	23.250	94.620
		80		0.594	12.814	85.050			30	Ex.Hvy	0.500	23.000	125.490
		100		0.750	12.500	106.130			40		0.562	22.876	140.680
		120		0.938	12.126	130.850			60		0.688	22.626	171.290
		140		1.094	11.814	150.900			80		0.969	22.064	238.350
		160		1.250	11.500	170.210			100		1.219	21.564	296.580
				1.406	11.188	189.100			120		1.531	20.936	367.390
									140		1.812	20.376	429.390
									160		2.062	19.876	483.100
16	16.000	10		0.250	15.500	42.050			26	Std.	0.312	25.376	85.600
		20	Std.	0.312	15.376	52.270			20	Ex.Hvy	0.375	25.250	102.360
		30		0.375	15.250	62.580			20		0.500	25.000	136.170
		40	Ex.Hvy	0.500	15.000	82.770	26	26.000	10		0.312	25.376	85.600
		60		0.656	14.688	107.500			20	Std.	0.375	25.250	102.360
		80		0.844	14.314	136.610			30	Ex.Hvy	0.500	25.000	136.170
		100		1.031	13.938	164.820			20		0.312	27.376	92.260
		120		1.219	13.564	192.430	28	28.000	10	Std.	0.375	27.250	110.640
		140		1.438	13.124	223.640			20		0.500	27.000	146.850
		160		1.594	12.814	245.250			30		0.625	26.750	182.730
18	18.000	10		0.250	17.500	47.390	30	30.000	10		0.312	29.376	98.930
		20	Std.	0.312	17.376	58.940			20	Std.	0.375	29.250	118.650
		30		0.375	17.250	70.590			30	Ex.Hvy	0.500	29.000	157.530
		40	Ex.Hvy	0.438	17.124	82.150			40		0.625	28.750	196.080
		60		0.500	17.000	93.450	32	32.000	10		0.312	31.376	105.590
		80		0.562	16.876	104.670			20	Std.	0.375	31.250	126.660
		100		0.750	16.500	138.170			30		0.500	31.000	168.210
		120		0.938	16.126	170.920			40		0.625	30.750	209.430
		140		1.156	15.688	207.960			40		0.688	30.624	230.080
		160		1.375	15.250	244.140	34	34.000	10		0.312	33.376	112.250
				1.562	14.876	274.220			20	Std.	0.375	33.250	134.670
				1.781	14.438	308.500			30		0.500	33.000	178.890
									40		0.625	32.750	222.780
									40		0.688	32.624	244.770
20	20.000	10		0.250	19.500	52.730			36	Std.	0.312	35.376	118.920
		20	Std.	0.375	19.250	79.600			40	Ex.Hvy	0.375	35.250	142.680
		30		0.500	19.000	104.130	36	36.000	10		0.500	35.000	189.570
		40	Ex.Hvy	0.594	18.814	123.110			20	Std.	0.375	41.250	166.710
		60		0.812	18.376	166.400			30		0.500	41.000	221.610
		80		1.031	17.938	208.870	42	42.000	40	Ex.Hvy	0.625	40.750	276.180
		100		1.281	17.438	256.100			40		0.750	40.500	330.410
		120		1.500	17.000	296.370					0.375	47.250	190.740
		140		1.750	16.500	341.090	48	48.000		Std.	0.500	47.000	253.650
		160		1.969	16.064	379.170				Ex.Hvy	0.500	47.000	253.650